

Good care - happy people





- Provides a good care environment without odors – Sealed vacuum transfer for used diapers and waste
- More time for care work waste logistics are automatic without dirty bins in corridors or elevators
- Economical and hygienic solution for today's waste handling

Automatic transfer solution for diapers, mixed and food waste






It is so *Easy*- Just *Drop & Go!*

- Everything has been engineered for you with passion
- Our goal is to ease your valuable work







Technical data and options

SYSTEM MAIN PARTS	Standard	Option
Waste inlets cone, lid, lid open/close sensor, stand alone legs	•	_
Inlet user control panel - led indicators	•	_
Inlet discharge valve for batch release and line cut-off	•	_
Pipe network D220 - Stainless steel D219mm (DN200)	•	_
System Internal contol wiring	•	_
Transfer air valve DN200 on the top of the vertical pipeline	•	_
Waste vacuum container 16m³ with guiding rails, in/out flow connection closing valves	•	_
Sealed design fine particle filter unit	•	_
Vacuum power blower 35kW with inverter (VLT) and program	•	_
Control cabin for CARE 220	•	_
System program CARE 220	•	_
Optional features		
High vacuum power unit 45kW with acoustic hood in vacuum power cabin for big systems or demanding application, including flow control inverter 55kW.	_	•
Sealed odor filter unit to clean odor from exhaust air	_	•
Additional Waste vacuum container 16m³ with guide rails and in/out line closing valves	_	•
Additional second fraction: Food waste system for central kitchen including inlets, pipeline, valves and vacuum food waste container 6m³, control unit and program		
Air compressor and compressed air pipe for CARE 220 components	_	•
Installation supervision	_	•
ROLS Remote-On-Line-Monitoring	_	•
Service contract		•







